

# FREE FLOAT DRAIN TRAP

## MODEL SS1VG STAINLESS STEEL

#### FREE FLOAT DRAIN TRAP WITH TIGHT SHUT-OFF FOR AIR AND INERT GAS SERVICE

#### **Features**

All stainless steel trap, to be installed in pipe ends. Automatically drains condensate from air and inert gas systems.

- 1. Constant water seal and unique rotational seating design prevent concentrated wear to ensure long life.
- 2. Three-point seating provides a tight seal even under no-load conditions (with rubber sealing).
- 3. Precision ground float guarantees superior sealing.
- 4. Built-in screen with large surface area ensures extended trouble-free operation.
- Self-modulating free float provides continuous, smooth, low velocity condensate discharge as process loads vary.



### **Specifications**

Model		SS1VG-R (Rubber Orifice)	SS1VG-M (Metal Orifice)				
Connection		Screwed					
Size		½″, ¾″, 1″					
Orifice No.		10	G5, G10, G16, G21				
Maximum Operating Pressure (barg)	PMO**	10	5, 10, 16, 21				
Maximum Differential Pressure (bar)	ΔPMX**	10	5, 10, 16, 21				
Maximum Operating Temperature (°C)	TMO	150	220				
Minimum Condensate Load for Tight Sea	ling (kg/h)	0	0.5				
Applicable fluid		Air, Inert Gas*					

<sup>\*</sup> Do not use for toxic, flammable, or otherwise hazardous gases.

PRESSURE SHELL DESIGN CONDITIONS (**NOT** OPERATING CONDITIONS): Maximum Allowable Pressure (barg) PMA: 21

Maximum Allowable Temperature (°C) TMA: 220

<sup>\*\*</sup> For specific gravities other than 1.00, use table below

	0 :6	Specific Gravity										
Model	Orifice No.	1.00	0.99-0.95	0.94-0.90	0.89-0.85	0.84-0.80	0.79-0.75	0.74-0.70	0.69-0.65	0.64-0.60	0.59-0.55	0.54-0.50
			Maxim	um Operat	ing Pressu	re PMO (ba	arg) & Maxi	mum Diffe	rential Pres	ssure ∆PM	X (bar)	
SS1VG-R	10	10.0	9.9	8.9	7.9	6.9	5.9	4.9	3.9	2.8	1.8	8.0
SS1VG-M	G5	5.0	4.9	4.4	3.9	3.4	2.9	2.4	1.9	1.4	0.9	0.4
	G10	10.0	9.9	8.9	7.9	6.9	5.9	4.9	3.9	2.8	1.8	0.8
	G16	16.0	15.0	13.5	12.0	10.4	8.9	7.4	5.9	4.3	2.8	1.3
	G21	21.0	20.6	18.5	16.4	14.3	12.2	10.1	8.0	5.9	3.8	1.7

1 bar = 0.1 MPa


**!**CAUTION

To avoid abnormal operation, accidents or serious injury, DO NOT use this product outside of the specification range. Local regulations may restrict the use of this product to below the conditions quoted.

No.	Description	Material	DIN*	ASTM/AISI*
1	Body	Cast Stainless Steel A351 Gr.CF8	1.4312	_
2	Cover	Cast Stainless Steel A351 Gr.CF8	1.4312	_
3	Float	Stainless Steel SUS316L	1.4404	AISI316L
<b>(4</b> )	Orifice (Metal)	_	_	_
4	Orifice (Rubber)	Stainl. Stl. SUS303/FPM	1.4305/FPM	AISI303/D2000HK
(5)	Orifice Gasket	Fluorine Resin PTFE	PTFE	PTFE
6	Screen	Stainless Steel SUS304	1.4301	AISI304
7	Cover Gasket	Fluorine Resin PTFE	PTFE	PTFE
8	Cover Bolt	Stainless Steel SUS304	1.4301	AISI304
9	Nameplate	Stainless Steel SUS304	1.4301	AISI304










\* Equivalent materials



#### **Consulting & Engineering Service**

#### **Dimensions**

#### ● SS1VG Screwed



#### SS1VG Screwed\*


(mm)

Size	L	W	<b>W</b> 1	S	Weight (kg)
1/2″	110				1.6
3/4″	120	103	82	85	1.7
1″	130				1.8

<sup>\*</sup> BSP DIN 2999, other standards available

Install the shortest possible vertical condensate pipe to the trap to ensure unobstructed condensate flow.

### **Discharge Capacity**



- --- Rubber Orifice Metal Orifice
- 1. Line numbers within the graph refer to orifice numbers. 2. Differential pressure is the difference between the inlet and outlet pressure of the trap.
- 3. The chart is applicable to condensate below 100 °C.
- 4. The discharge capacity is for a liquid with specific gravity of 1.
- 5. Recommended safety factor: at least 1.5.

CAUTION DO NOT use traps under conditions that exceed maximum differential pressure, as condensate backup will occur!

#### Capacity Conversion Factors

Specific Gravity	0.95	0.9	0.85	8.0	0.75	0.7	0.65	0.6	0.55	0.5
Conversion Factor	1.03	1.06	1.08	1.12	1.16	1.19	1.24	1.29	1.35	1.41

Before using the capacity chart, multiply the required capacity (including safety factor) by the appropriate conversion factor for the specific gravity of the liquid. Choose from the table above or use the following formula: Conversion factor =  $\frac{1}{\sqrt{S.~G.}}$ 

Manufacturer

Kakogawa, Japan is approved by LRQA Ltd. to ISO 9001/14001



